


## versatile™ 4C Depot Stand-alone Cabinet Foundation Plan







## **STRUCTURAL NOTES:**

CONCRETE PAD MUST BE AT LEAST 3 1/2" THICK.

CONCRETE PAD MUST BE LEVEL WITHIN 1 1/2" FROM HIGH SPOT TO LOW SPOT WITHIN THE OVERALL FOOTPRINT OF THE 4C DEPOT.

CONCRETE SHALL HAVE A COMPRESSIVE STRENGTH OF 3000 PSI @28 DAYS, CONTAIN 4% MIN~6% MAX AIR ENTRAPMENT, AND BE PLACED WITH A 3.50~4.50 SLUMP.

CONCRETE REINFORCING SHALL BE PER LOCAL CODE REQUIREMENTS.

EXISTING CONCRETE PAD MAY BE USED IF PAD IS UNDAMAGED AND MEETS THE MINIMUM REQUIREMENTS.

## NOTES:

- 1. MINIMUM CONCRETE PAD SIZE IS 4-FT X 4-FT.
- 2. SIDES OF 4C DEPOT CABINET MUST BE 4" MINIMUM FROM EDGE OF CONCRETE PAD.
- SIDES OF 4C DEPOT CABINET AT EACH END OF A MULTIPLE-UNIT INSTALLATION MUST BE 8" MINIMUM FROM EDGE OF CONCRETE PAD.